

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,069,271 B1
APPLICATION NO. : 09/706098
DATED : June 27, 2006
INVENTOR(S) : Fadel et al.

Page 1 of 17

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On face page, in field 75, in column 1, in "Inventors", line 1, delete "Cambridge," and insert -- Cambridge, --, therefor.

On face page, in field 57, in column 2, in "Abstract", line 9, after "and" insert -- a --.

On face page, in field 57, in column 2, in "Abstract", line 10, after "of" delete "a".

In column 3, line 22, delete "visitors" and insert -- visitor's --, therefor.

In column 5, line 4, delete "b" and insert -- by --, therefor.

In column 5, line 4, after "Genesis" delete "to".

In column 6, line 46, delete "arc" and insert -- are --, therefor.

In column 7, line 47, after "specific" delete ".".

In column 7, line 48, after "environment" insert -- . --.

In column 8, line 33, delete "installer.when" and insert -- installer when --, therefor.

In column 9-10, line 21, delete "etc." and insert -- etc., --, therefor.

In column 9-10, line 39, delete "iStore. OAS" and insert -- iStore, OAS, --, therefor.

In column 9-10, line 39, delete "iMarketing" and insert -- iMarketing --, therefor.

In column 9-10, line 77, delete "vignet" and insert -- vignette --, therefor.

In column 11-12, line 8, delete "#castmplmgr3" and insert -- #castmplmgr3 --, therefor.

In column 11-12, line 8, delete "vignett" and insert -- vignette --, therefor.

In column 11-12, line 43, delete "=echo" and insert -- =echo --, therefor.

In column 11-12, line 43, delete "[A-Z]" and insert -- "[A-Z]" --, therefor.

In column 13-14, line 67, delete “case” and insert -- Base --, therefor.

In column 15-16, line 50, delete “Vignete” and insert -- Vignette --, therefor.

In column 15-16, line 57, delete “Vignete” and insert -- Vignette --, therefor.

In column 15-16, line 73, delete ““A-Z]”” and insert -- “[A-Z]” --, therefor.

In column 17-18, line 9, delete ““[a-z]”” and insert -- “[a-z]” --, therefor.

In column 17-18, line 16, delete “[\$anS]” and insert -- [\$ans] --, therefor.

In column 17-18, line 42, delete “[OAS” and insert -- [\$OAS --, therefor.

In column 23-24, line 9, delete “-\$ans” and insert -- =\$ans --, therefor.

In column 23-24, line 56, delete “[DB” and insert -- [\$DB --, therefor.

In column 25-26, line 26, delete “\$1}” and insert -- \$1}” --, therefor.

In column 25-26, line 34, delete ““a-z]”” and insert -- “[a-z]” --, therefor.

In column 29-30, line 37, delete ““[\$START.INSTALL”” and insert -- “[\$START_INSTALL” --, therefor.

In column 35-36, line 26, delete “incorrectly.” and insert -- incorrectly: --, therefor.

In column 35-36, line 55, after “\$INSTALL” delete “._” and insert -- _ --, therefor.

In column 37-38, line 13, delete “iSpeed” and insert -- ispeed --, therefor.

In column 37-38, line 46, delete “.exit 2” and insert -- exit 2 --, therefor.

In column 41-42, line 38, delete “far” and insert -- for --, therefor.

In column 41-42, line 53, delete “/tmtp/” and insert -- /tmp/ --, therefor.

In column 43-44, line 10, delete “EOP” and insert -- EOF --, therefor.

In column 43-44, line 18, delete “}\${domain}” and insert -- }.\${domain}) --, therefor.

In column 53-54, line 32, delete “/cshprofile” and insert -- /shprofile” --, therefor.

In column 55-56, line 56, after “dest” delete “{/” and insert -- }/ --, therefor.

In column 55-56, line 63, delete “ç\$” and insert -- “\$ --, therefor.

In column 55-56, line 74, delete “H__S” and insert -- H_O_S --, therefor.

In column 59-60, line 58, delete “form” and insert -- from --, therefor.

In column 61-62, line 52, before “startup” delete “the”.

In column 63-63, line 19, delete “form” and insert -- from --, therefor.

In column 65-66, line 63, delete ““{DB” and insert -- “\${DB --, therefor.

In column 81-82, line 9, delete “tarfile” and insert -- tar file --, therefor.

In column 87-88, line 38, delete “Sept. 1, 1999” and insert -- Aug. 1, 1999 --, therefor.

In column 87-88, line 60, delete “}/httpd_” and insert -- }/httpd_* --, therefor.

In column 91-92, line 14, delete “+{OAS” and insert -- +\${OAS --, therefor.

In column 97-98, line 10, delete “/echdbg.sh” and insert -- /echodbg.sh --, therefor.

In column 97-98, line 65, delete “4?” and insert -- 4” --, therefor.

In column 97-98, line 67, after “5” insert -- | \ --.

In column 99-100, line 9, delete “Servers” and insert -- Server5” --, therefor.

In column 101-102, line 60, delete “VMS” and insert -- VHS --, therefor.

In column 101-102, line 75, delete “continue.” and insert -- continues. --, therefor.

In column 101-102, line 76, after “will” insert -- not --.

In column 103-104, line 10, after “exists” insert -- ? --.

In column 103-104, line 26, after “ICS” delete “-s /bin/ksh \$ICS”.

In column 103-104, line 56, after “already” insert -- , --.

In column 103-104, line 76, delete “problen” and insert -- problem --, therefor.

In column 105-106, line 10, delete “echc” and insert -- echo --, therefor.

In column 105-106, line 30, delete “meesage” and insert -- message --, therefor.

In column 105-106, line 37, delete “thie” and insert -- this --, therefor.

In column 105-106, line 68, delete “#change” and insert -- #Change --, therefor.

In column 107-108, line 9, delete “ThiS” and insert -- This --, therefor.

In column 107-108, line 21, delete “\$GRDUPNAME.” and insert -- \$GROUPNAME. --, therefor.

In column 107-108, line 53, delete “/echodhg.sh” and insert -- /echodbg.sh --, therefor.

In column 107-108, line 70, delete “{ORACLE≡/” and insert -- {ORACLE}/ --, therefor.

In column 109-110, line 50, delete “u\$USER” and insert -- “\$USER --, therefor.

In column 109-110, line 57, delete “\$GROUPMAME” and insert -- \$GROUPNAME --, therefor.

In column 111-112, line 20, after “aborting...” insert -- ” --.

In column 111-112, line 22, delete “echoobg” and insert -- echodbg --, therefor.

In column 111-112, line 22, delete “paraneters” and insert -- parameters --, therefor.

In column 111-112, line 59, delete “Filenane:” and insert -- Filename: --, therefor.

In column 111-112, line 61, delete “wessa” and insert -- Wessa --, therefor.

In column 111-112, line 66, delete “tbe” and insert -- the --, therefor.

In column 113-114, line 13, delete “hone” and insert -- home --, therefor.

In column 113-114, line 15, delete “***\$” and insert -- “\$ --, therefor.

In column 113-114, line 36, delete “In” and insert -- ln --, therefor.

In column 113-114, line 56, delete “should,have” and insert -- should have --, therefor.

In column 115-116, line 12, delete “/echodhg.ah” and insert -- /echodbg.sh --, therefor.

In column 115-116, line 22, delete “ssp” and insert -- sspm --, therefor.

In column 115-116, line 27, delete “““./ssps” and insert -- “./sspm --, therefor.

In column 115-116, line 53, delete “parameter” and insert -- Parameter --, therefor.

In column 115-116, line 74, delete “datahase.” and insert -- database. --, therefor.

In column 117-118, line 9, delete “CAS.” and insert -- OAS. --, therefor.

In column 117-118, line 31, delete “\” and insert -- “\$ --, therefor.

In column 117-118, line 31, delete “/tnanames.” and insert -- /tnsnames. --, therefor.

In column 117-118, line 36, delete “.Bh” and insert -- .sh --, therefor.

In column 117-118, line 54, delete “.Bh” and insert -- .sh --, therefor.

In column 117-118, line 62, delete “#mV” and insert -- #mv --, therefor.

In column 117-118, line 63, delete “\$DS” and insert -- SDB --, therefor.

In column 117-118, line 76, delete “NA56” and insert -- NA} --, therefor.

In column 119-120, line 8, delete “NA56” and insert -- NA} --, therefor.

In column 119-120, line 65, delete “L₃E” and insert -- L_E --, therefor.

In column 119-120, line 68, delete “{DS” and insert -- {DB --, therefor.

In column 119-120, line 74, after “svrmgrl” insert -- ” --.

In column 121-122, line 14, delete “circumstances.” and insert -- circumstances. --, therefor.

In column 121-122, line 32, delete “conbination” and insert -- combination --, therefor.

In column 121-122, line 34, delete “““Multiviews””” and insert -- “MultiViews” --, therefor.

In column 121-122, line 41, delete “conbination” and insert -- combination --, therefor.

In column 121-122, line 41, delete ““options”,” and insert -- “Options”, --, therefor.

In column 121-122, line 44, delete “fron” and insert -- from --, therefor.

In column 121-122, line 46, delete “fron” and insert -- from --, therefor.

In column 121-122, line 54, delete “//servernane/” and insert -- //servername/ --, therefor.

In column 123-124, line 9, delete “*</” and insert -- #</ --, therefor.

In column 123-124, line 23, delete “1997/08/23” and insert -- 1997/08/23 --, therefor.

In column 123-124, line 41, delete “END” and insert -- START --, therefor.

In column 127-128, line 49, delete “copyright” and insert -- Copyright --, therefor.

In column 127-128, line 63, delete “nentioning” and insert -- mentioning --, therefor.

In column 129-130, line 10, delete “\This” and insert -- “This --, therefor.

In column 129-130, line 24, delete “TME” and insert -- THE --, therefor.

In column 129-130, line 74, delete “APACME” and insert -- APACHE --, therefor.

In column 131-132, line 8, delete “CDNTRACT,” and insert -- CONTRACT, --, therefor.

In column 131-132, line 19, delete “(http..” and insert -- <http: --, therefor.

In column 131-132, line 43, delete “B_A_S_B” and insert -- B_A_S_E --, therefor.

In column 131-132, line 60, delete “{1}” and insert -- (1) --, therefor.

In column 133-134, line 9, delete “metacharater” and insert -- metacharacter --, therefor.

In column 133-134, line 10, delete “occurance” and insert -- occurrence --, therefor.

In column 135-136, line 14, delete “(“gn:” and insert -- (“qn: --, therefor.

In column 135-136, line 17, delete “__g” and insert -- __q --, therefor.

In column 135-136, line 30, delete “(@cnds)” and insert -- (@cmds) --, therefor.

In column 135-136, line 41, delete “SANPLE” and insert -- SAMPLE --, therefor.

In column 135-136, line 49, delete “-\m” and insert -- -\n --, therefor.

In column 135-136, line 71, delete “(gw(” and insert -- (qw(--, therefor.

In column 137-138, line 30, delete “=~n” and insert -- =~m --, therefor.

In column 139-140, line 31, delete “LoadMododule” and insert -- LoadModule --, therefor.

In column 139-140, line 45, delete “symbolname” and insert -- symbolname --, therefor.

In column 139-140, line 56, delete “-ZA-” and insert -- -zA- --, therefor.

In column 139-140, line 63, delete “[1-zA” and insert -- ([a-zA --, therefor.

In column 139-140, line 65, delete “\$filenane” and insert -- \$filename --, therefor.

In column 139-140, line 66, delete “\$filenane” and insert -- \$filename --, therefor.

In column 139-140, line 73, after “exit(1);” insert -- } --.

In column 139-140, line 74, delete “(\$filenane” and insert -- (\$filename --, therefor.

In column 141-142, line 33, delete “\n#!” and insert -- n#? --, therefor.

In column 141-142, line 41, delete “{” and insert -- } --, therefor.

In column 141-142, line 42, delete “{” and insert -- } --, therefor.

In column 141-142, line 48, delete “s| (.” and insert -- s|^(. --, therefor.

In column 143-144, line 13, delete ““*%NAME%”” and insert -- “%NAME%” --, therefor.

In column 145-146, line 30, delete “tile” and insert -- file --, therefor.

In column 145-146, line 38, delete “tranasction” and insert -- transaction --, therefor.

In column 145-146, line 47, delete “Glcbal” and insert -- Global --, therefor.

In column 145-146, line 50, delete “circunstances.” and insert -- circumstances. --, therefor.

In column 145-146, line 69, delete “““Multiviews”.” and insert -- “MultiViews”. --, therefor.

In column 145-146, line 70, delete “““Multiviews””” and insert -- “MultiViews” --, therefor.

In column 145-146, line 72, delete “FollowSynLinks” and insert -- FollowSymLinks --, therefor.

In column 147-148, line 18, delete “#/Directory>” and insert -- </Directory> --, therefor.

In column 149-150, line 35, delete “-o” and insert -- -0 --, therefor.

In column 151-152, line 45, delete “configuration” and insert -- configuration --, therefor.

In column 153-154, line 18, delete “1995-1996” and insert -- 1995-1998 --, therefor.

In column 153-154, line 53, delete “FITNRSS” and insert -- FITNESS --, therefor.

In column 153-154, line 55, delete “OR” and insert -- BE --, therefor.

In column 153-154, line 76, delete “1999” and insert -- 1998 --, therefor.

In column 155-156, line 60, delete “extension” and insert -- eXtension --, therefor.

In column 157-158, line 12, delete “\$CFG₃” and insert -- \$CFG_ --, therefor.

In column 157-158, line 23, delete “f n;” and insert -- |n”; --, therefor.

In column 157-158, line 46, delete “metacharater” and insert -- metacharacter --, therefor.

In column 157-158, line 47, delete “occurance” and insert -- occurrence --, therefor.

In column 157-158, line 73, delete ““[\$]opt” and insert -- “\Sopt --, therefor.

In column 159-160, line 51, delete “(“gn:” and insert -- (“qn: --, therefor.

In column 159-160, line 51, delete “@ARGV};” and insert -- @ARGV);” --, therefor.

In column 161-162, line 45, delete “ø\$CFG” and insert -- “\$CFG --, therefor.

In column 163-164, line 77, after “exit (1)” insert -- ; --.

In column 165-166, line 39, after “exit (1)” insert -- ; --.

In column 165-166, line 46, after “?” insert -- ; --.

In column 165-166, line 48, delete ““\$[name]” and insert -- “\${name} --, therefor.

In column 169-170, line 15, before “Location” insert -- < --.

In column 169-170, line 66, delete “fron” and insert -- from --, therefor.

In column 171-172, line 14, delete “Dynanic” and insert -- Dynamic --, therefor.

In column 171-172, line 29, delete “1023;” and insert -- 1023, --, therefor.

In column 171-172, line 53, delete “NOTE|” and insert -- NOTE! --, therefor.

In column 171-172, line 59, after ““*”” insert -- , --.

In column 171-172, line 60, delete “slso” and insert -- also --, therefor.

In column 173-174, line 52, delete “with” and insert -- With --, therefor.

In column 173-174, line 61, delete “docunent.” and insert -- document. --, therefor.

In column 173-174, line 71, delete “reccomend” and insert -- recommend --, therefor.

In column 175-176, line 39, delete “cacheing” and insert -- caching --, therefor.

In column 175-176, line 50, delete “79:80” and insert -- 78:80 --, therefor.

In column 175-176, line 59, after “www” delete “/doca/” and insert -- /docs/ --, therefor.

In column 175-176, line 62, delete “.con-” and insert -- .com- --, therefor.

In column 177-178, line 23, delete “recieved.” and insert -- received. --, therefor.

In column 177-178, line 28, delete “Fancy-Indexing” and insert -- FancyIndexing --, therefor.

In column 177-178, line 40, after “gif” delete “.wrl” and insert -- .wrl --, therefor.

In column 177-178, line 46, delete “.pl” and insert -- .pl --, therefor.

In column 177-178, line 52, delete “/bonb.” and insert -- /bomb. --, therefor.

In column 177-178, line 75, after “.” delete “?*~*#” and insert -- ?* ~*# --, therefor.

In column 177-178, line 76, delete “AccessFilName:” and insert -- AccessFileName: --, therefor.

In column 179-180, line 26, after “compress” delete “z” and insert -- Z --, therefor.

In column 179-180, line 32, delete “*AddLanguage pl .po#” and insert -- “AddLanguage pl .po” --, therefor.

In column 179-180, line 56, delete “ScripAlias/” and insert -- ScriptAlias/ --, therefor.

In column 179-180, line 56, after “cgi-bin/” delete “*” and insert -- ” --, therefor.

In column 179-180, line 71, delete “-acript” and insert -- -script --, therefor.

In column 179-180, line 73, delete “.shml” and insert -- .shtml --, therefor.

In column 181-182, line 28, delete “(*)” and insert -- (“) --, therefor.

In column 181-182, line 39, delete “_mine_” and insert -- _mime_ --, therefor.

In column 181-182, line 49, delete “4\0b2;” and insert -- 4\0b2;” --, therefor.

In column 183-184, line 43, delete “nohody” and insert -- nobody --, therefor.

In column 183-184, line 54, delete “you” and insert -- You --, therefor.

In column 183-184, line 62, delete “control” and insert -- Control --, therefor.

In column 183-184, line 70, after “->” delete “,”.

In column 185-186, line 11, after “PidFile” delete “,” and insert -- : --, therefor.

In column 185-186, line 68, delete “reccommend” and insert -- recommend --, therefor.

In column 187-188, line 36, delete “cacheing” and insert -- caching --, therefor.

In column 187-188, line 47, before “#” delete “b”.

In column 187-188, line 55, delete “.con” and insert -- .com --, therefor.

In column 187-188, line 75, delete “.comf” and insert -- .conf --, therefor.

In column 189-190, line 18, delete “recieved.” and insert -- received. --, therefor.

In column 189-190, line 43, delete “/d vi.gif” and insert -- /dvi.gif --, therefor.

In column 189-190, line 50, delete “/icone/” and insert -- /icons/ --, therefor.

In column 191-192, line 68, delete “*shtml” and insert -- .shtml --, therefor.

In column 191-192, line 69, delete “*shtml” and insert -- .shtml --, therefor.

In column 193-194, line 40, delete “Explorer4.0b2” and insert -- Explorer 4.0b2 --, therefor.

In column 195-196, line 8, after “Verify” delete “password” and insert -- Password --, therefor.

In column 195-196, line 20, delete “Prom” and insert -- From --, therefor.

In column 195-196, line 59, delete “firsmame” and insert -- firstname --, therefor.

In column 197-198, line 15, delete “maximun” and insert -- maximum --, therefor.

In column 197-198, line 32, delete “ordemailflag” and insert -- ordermailflag --, therefor.

In column 197-198, line 33, delete “ordemailpmpt” and insert -- ordermailpmpt --, therefor.

In column 197-198, line 41, delete “orderauthpaseword” and insert -- orderauthpassword --, therefor.

In column 197-198, line 52, delete “bas” and insert -- has --, therefor.

In column 199-200, line 12, after “Registration” delete “-,”.

In column 199-200, line 63, delete “please” and insert -- Please --, therefor.

In column 199-200, line 69, delete “welcone” and insert -- welcome --, therefor.

In column 199-200, line 76, delete “internet” and insert -- Internet --, therefor.

In column 201-202, line 42, delete “.<nls>.” and insert -- .<nls>. --, therefor.

In column 201-202, line 44, delete “.<nls>.” and insert -- .<nls>. --, therefor.

In column 201-202, line 64, delete “_rice_” and insert -- _price_ --, therefor.

In column 201-202, line 68, delete “recalculutate” and insert -- recalculate --, therefor.

In column 203-204, line 22, delete “;Affilate” and insert -- ;Affiliate --, therefor.

In column 203-204, lines 34-35, delete “tru e” and insert -- true --, therefor.

In column 203-204, line 41, delete “tor” and insert -- for --, therefor.

In column 205-206, line 32, after “mode” insert -- of --.

In column 205-206, line 36, delete “ecaccttelephone,” and insert -- ecaccttelephone, --, therefor.

In column 205-206, line 41, delete “perceptions,” and insert -- Perceptions, --, therefor.

In column 205-206, line 41, delete “remo^ve” and insert -- remove --, therefor.

In column 205-206, line 51, delete “perceptions” and insert -- Perceptions --, therefor.

In column 205-206, line 55, delete “perceptions” and insert -- Perceptions --, therefor.

In column 205-206, line 64, delete “ISO-8959-1” and insert -- ISO-8859-1 --, therefor.

In column 207-208, line 15, delete “SDDSfits” and insert -- SDOSfits --, therefor.

In column 207-208, line 61, delete “_cfg” and insert -- .cfg --, therefor.

In column 209-210, line 10, delete “enviromment” and insert -- environment --, therefor.

In column 209-210, line 21, after “threads” delete “O_R_A_C_L_B” and insert -- O_R_A_C_L_E --, therefor.

In column 209-210, line 46, delete “MAHPATH” and insert -- MANPATH --, therefor.

In column 211-212, line 17, delete “i;” and insert -- 1; --, therefor.

In column 211-212, line 60, delete “5/8args” and insert -- @args --, therefor.

In column 211-212, line 61, delete “(@arga)” and insert -- (@)args --, therefor.

In column 213-214, line 10, after ““.”)” insert -- ; --.

In column 213-214, line 12, delete “5/8args” and insert -- @args --, therefor.

In column 213-214, line 13, after “@javacargs” delete “.” and insert -- , --, therefor.

In column 213-214, line 22, delete “H_O_S_T_N_A_M_E_D_O_M_A_I_N” and insert -- H_O_S_T_N_A_M_E.D_O_M_A_I_N --, therefor.

In column 215-216, line 70, delete “/ing/” and insert -- /img/ --, therefor.

In column 215-216, line 73, delete “O_R_A_C_L_R_” and insert -- O_R_A_C_L_E_ --, therefor.

In column 215-216, line 78, delete “ServerEs” and insert -- ServerÆs --, therefor.

In column 217-218, line 13, delete “/phomes” and insert -- /phones --, therefor.

In column 217-218, line 38, after “text” delete “/hml” and insert -- /html --, therefor.

In column 219-220, line 63, after “3.0.4” insert -- . --.

In column 221-222, line 20, delete “enviromment” and insert -- environment --, therefor.

In column 221-222, lines 27-28, delete “DOMA N” and insert -- DOMAIN --, therefor.

In column 221-222, line 60, delete “DETECT” and insert -- DIRECT --, therefor.

In column 223-224, line 49, delete “/uch/” and insert -- /ucb/ --, therefor.

In column 227-228, line 17, delete “-\$” and insert -- =\$ --, therefor.

In column 227-228, line 60, delete “update” and insert -- Update --, therefor.

In column 227-228, line 63, delete “update” and insert -- Update --, therefor.

In column 227-228, line 68, delete “/Netperceptio” and insert -- /NetPerceptio --, therefor.

In column 231-232, line 12, delete “/Netperceptio” and insert -- /NetPerceptio --, therefor.

In column 231-232, line 65, delete “GLRDOOT” and insert -- GLROOT --, therefor.

In column 231-232, line 75, delete “DR” and insert -- DB --, therefor.

In column 233-234, line 9, delete “(B” and insert -- (D_B --, therefor.

In column 233-234, line 29, delete “MAXLOGMEMRERS 2” and insert -- MAXLOGMEMBERS 2 --, therefor.

In column 233-234, line 35, before “SIZE” insert -- ‘ --.

In column 233-234, line 37, before “SIZE” insert -- ‘ --.

In column 233-234, line 39, before “SIZE” insert -- ‘ --.

In column 233-234, line 47, delete “D_R” and insert -- ‘D_B --, therefor.

In column 233-234, line 48, delete “D_R” and insert -- ‘D_B --, therefor.

In column 233-234, line 49, delete “D_R” and insert -- ‘D_B --, therefor.

In column 233-234, line 51, delete “D_R” and insert -- ‘D_B --, therefor.

In column 235-236, line 16, delete “6900X” and insert -- 6800K --, therefor.

In column 235-236, line 17, delete “8900K” and insert -- 8800K --, therefor.

In column 237-238, line 40, delete “/opc/” and insert -- /opt/ --, therefor.

In column 237-238, line 44, after “#” insert -- . --.

In column 237-238, line 62, delete “EOP” and insert -- EOF --, therefor.

In column 239-240, line 25, delete “svmgrl” and insert -- svrmgrl --, therefor.

In column 239-240, line 51, delete “A C” and insert -- A__C --, therefor.

In column 239-240, line 63, delete “SEQ” and insert -- BEQ --, therefor.

In column 241-242, line 38, delete “PATE” and insert -- PATH --, therefor.

In column 241-242, line 76, delete “9” and insert -- 8 --, therefor.

In column 245-246, line 29, after “verify” insert -- | updatepe --, therefor.

In column 249-250, line 21, after “[]” insert -- ; --.

In column 249-250, line 21, delete “then” and insert -- them --, therefor.

In column 251-252, line 28, delete “WMOANI” and insert -- WHOAMI --, therefor.

In column 253-254, line 25, delete “vdomsg” and insert -- vdbmsg --, therefor.

In column 253-254, line 43, delete “lp” and insert -- l/p --, therefor.

In column 253-254, line 61, before “visit” delete “.” and insert -- , --, therefor.

In column 255-256, line 28, before “cookie” delete “the”.

In column 255-256, line 66, delete “thig” and insert -- this --, therefor.

In column 257-258, line 12, delete “TIMETABLE” and insert -- TMTENABLE --, therefor.

In column 261-262, line 39, before “E49” delete “_B_” and insert -- _S_ --, therefor.

In column 267-268, line 17, delete “.wrbron.” and insert -- .wrbmon. --, therefor.

In column 273-274, line 61, delete “cwsapps/” and insert -- owsapps/ --, therefor.

In column 275-276, line 66, delete “property” and insert -- Property --, therefor.

In column 279-280, line 52, delete “.APP” and insert -- .App --, therefor.

In column 281-282, line 33, delete “AppConfLog.” and insert -- AppConfLog, --, therefor.

In column 283-284, line 57, delete “AppConfJava.” and insert -- AppConfJava, --, therefor.

In column 287-288, line 45, delete ““TX” and insert -- “Tx --, therefor.

In column 291-292, line 30, delete “AppCartxConfVP.” and insert -- AppCartxConfVP, --, therefor.

In column 291-292, line 36, delete “Close&IF” and insert -- CloseGIF --, therefor.

In column 293-294, line 58, delete “wrbasrv.” and insert -- wrbasrv, --, therefor.

In column 293-294, line 63, delete “Reloadorder” and insert -- ReloadOrder --, therefor.

In column 297-298, line 28, delete “wrb” and insert -- Wrb --, therefor.

In column 297-298, line 47, before ““Monitoring” insert -- = --, therefor.

In column 299-300, line 65, delete “Srv.” and insert -- Srv, --, therefor.

In column 307-308, line 61, delete “tnternalName” and insert -- InternalName --, therefor.

In column 307-308, line 78, delete “wrb” and insert -- Wrb --, therefor.

In column 311-312, line 13, delete “.dispatchsrs.” and insert -- .dispatchers. --, therefor.

In column 313-314, line 33, delete “Out” and insert -- out --, therefor.

In column 315-316, line 56, delete “-UTF-8” and insert -- =UTF-8 --, therefor.

In column 319-320, line 17, delete “x509” and insert -- x509 --, therefor.

In column 319-320, line 51, delete “(Adnin” and insert -- (Admin --, therefor.

In column 321-322, line 73, delete “Æ” and insert -- ServerÆs --, therefor.

In column 325-326, line 65, delete “Æ” and insert -- ServerÆs --, therefor.

In column 327-328, line 44, delete “/ndwfes.so” and insert -- /ndwfss.so --, therefor.

In column 327-328, line 71, delete “AdmFile” and insert -- AdminFile --, therefor.

In column 329-330, line 65, delete “Æ” and insert -- ServerÆs --, therefor.

In column 329-330, line 71, delete “;/employess/” and insert -- ;/employees/ --, therefor.

In column 333-334, line 46, delete “/nbedlet” and insert -- /mbedlet --, therefor.

In column 333-334, line 53, delete “/tinbuku” and insert -- /timbuku --, therefor.

In column 335-336, line 42, delete “audic/midi” and insert -- audio/midi --, therefor.

In column 337-338, line 18, delete “/x-vml” and insert -- /x-vrml --, therefor.

In column 337-338, line 51, delete “[Multiport]” and insert -- [MultiPort] --, therefor.

In column 339-340, line 62, delete “Æ” and insert -- ServerÆs --, therefor.

In column 341-342, line 40, delete “[Multiport]” and insert -- [MultiPort] --, therefor.

In column 343-344, line 59, delete “Æ” and insert -- ServerÆs --, therefor.

In column 345-346, line 34, delete “/tinbuku” and insert -- /timbuku --, therefor.

In column 351-352, line 16, delete “0X” and insert -- 0x --, therefor.

In column 351-352, line 28, delete “/inatall/” and insert -- /install/ --, therefor.

In column 351-352, line 62, before “FALSE” insert -- = --, therefor.

In column 353-354, line 44, after “E” delete “_C_” and insert -- _O_ --, therefor.

In column 368, lines 10-11, delete “¹⁰(using the stop and start procedures in the ipr lics user from the example)” and insert -- (using the stop and start procedures in the ipr lics user from the example) --, after “OAS” as the continuation of the same.

In column 367-368, Appendix IV, line 28, delete “setup sh” and insert -- setup.sh --, therefor.

In column 367-368, Appendix IV, line 29, delete “setup sh” and insert -- setup.sh --, therefor.

In column 367-368, Appendix IV, line 45, delete “no” and insert -- not --, therefor.

In column 367-368, Appendix IV, line 50, delete “no” and insert -- not --, therefor.

In column 369-370, Appendix IV, line 35, delete “OARCLE” and insert -- ORACLE --, therefor.

In column 371-372, Appendix IV, line 47, after “place” insert -- your --, therefor.

In column 372, line 65, after “parameters” delete “;” and insert -- , --, therefor.


In column 373, line 60, in claim 1, delete “customers” and insert -- customer --, therefor.

In column 374, line 7, in claim 3, delete “clam” and insert -- claim --, therefor.

In column 374, line 60, in claim 8, delete “clam” and insert -- claim --, therefor.

Signed and Sealed this

Twenty-third Day of March, 2010

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, flowing style with a large initial 'D' and a stylized 'K'.

David J. Kappos
Director of the United States Patent and Trademark Office